



Coupling Service Parts

1



610910
Coupling ball adjuster screw.

2



610924
Coupling handle trigger.

3



610925
Coupling trigger Spring.

2,3,4,5



610929
Coupling handle, trigger & tongue sub assembly.

4



610926
Roll pin coupling trigger 1/4" x 7/8"
Zinc Plated

5



610928
Coupling tongue spring.

6



610933
Coupling Override Body Grease Nipple
Screw In

7



610934
Coupling Reverse Stop

8



610943
Coupling Hydraulic Conversion With
3/4" Master Cylinder

8



610944
Coupling Hydraulic Conversion
With 7/8" Master Cylinder

9



610945
Washer spring 5/16" Zinc
Coupling reverse stop.

10



610947
Coupling reversing latch bolt
3/8" UNF x 2 1/4"

2,3,4



610909

Coupling plunger type trigger, spring and roll pin skin pack.



323030

Brake cable kit (10 metre cable & adjuster, 2 clips & 2 pulleys)



323025

Brake cable kit (8 metre cable & adjuster, 2 clips & 2 pulleys)



614053

Coupling brake plate low profile lever plated.

Mounting detail: 4 hole
Spacings: 184mm x 54mm
Diameter: 13.5mm



614055

Offroad coupling park lever brake plate suits Pin and Ball Couplings.

Mounting detail: 4 hole
Spacings: 184mm x 54mm
Diameter: 13.5mm



619100

Mechanical park brake mechanism 400mm

Mounting detail: 2 hole
Spacings: 60mm
Diameter: 13mm



619150

Mechanical park brake mechanism, 280mm with cable pulley attached. Suits standard coupling rear fixing hole centres. May require 618926 to level coupling.

Mounting detail: 2 hole
Spacings: 55mm
Diameter: 13mm



618926

Front spacer plate for Mechanical park brake mechanism. Suits 619150,

Mounting detail: 2 hole
Spacings: 55mm
Diameter: 13mm



619931

Coupling Off-road lock ring spare part